

UNITED STATES GOVERNMENT

Memorandum

TO : AD/OEL *you*

DATE: 2 December 1964

FROM : DAD/S&D

SUBJECT:

25X1A

[redacted] called yesterday to remind us that the original memorandum indicated that OEL action to prepare a letter for DCI would be accomplished after DD S&T concurrence in this work. He wanted to know that status of the DCI paper. I have asked *[redacted]* to let me know where this thing is.

25X1A

25X1A

25X1A

SECRET

DD/S&T-3147-64

18 November 1964

MEMORANDUM FOR THE RECORD

SUBJECT: Special Telemetry Analog Production Facility

25X1A 1. A meeting on the establishment of a special
25X1A telemetry analog production facility in the Agency was
held on 16 November, 1100-1200, and was attended by
Dr. Wheelon, Mr. Miller, Dr. Chamberlain, [redacted]
and [redacted]

2. Proposals for methods of performing the work
necessary to establish two positions in OEL which would
satisfy the requirements of OSI and FMSAC were discussed
by Mr. Miller from the following charts.

ANALOG GROUND STATION

SUMMARY OF PROPOSALS

FY 1965

25X1A


SECRET

SECRET

Page 2

SUBJECT: Special Telemetry Analog Production Facility

25X1A



25X1A

3. Mr. Miller was specifically queried regarding the technical competencies required and available under the four procedures and assured the DD/S&T and others of his confidence in the OEL in-house capability to perform under a procedure whereby [] provided technical support for assembling the two stations and for maintenance and some training during the early phases of operations. Mr. Miller indicated he had discussed this at length with both [] and Dr. Chamberlain and there were no serious reservations by anyone. Dr. Chamberlain stated that he had had further talks with Mr. Miller and that he was now willing to accept the OEL proposed plan.

25X1A

25X1A

4. Mr. Miller advised that financing was being accomplished through [] each from OSI and FMSAC and the remainder from OEL.

5. Mr. Miller related that negotiations were under-way for space in which to locate the new facility--this would preferably be on the first floor where the high ceilings would accommodate the heating problems of the installation. In reply to a specific question regarding the requirements of FMSAC and OSI regarding the format,

SECRET

Approved For Release 2002/06/14 : CIA-RDP71B00185A000100060084-5

SUBJECT: Special Telemetry Analog Production Facility

reproduction, and distribution of the analogs, Mr. Miller stated these were all settled to the satisfaction of those involved or were being solved without apparent difficulty at this point.

6. At the conclusion of the meeting, Dr. Wheelon advised that he would approve the request by OEL as written in Attachment A.

25X1A



PP/DD/S&T

CONCUR:

151
Assistant Director, OSI

24 NOV 1964
Date

151
Director, FMSAC

24 NOV 1964
Date

151
Assistant Director, OEL

24 NOV 1964
Date

Attachment:

Memo from AD/OEL to DD/S&T,
Subject: Approval of a
Special Telemetry Analog
Production Facility

Distribution:

- Orig. - Record w/att.
- 1 - AD/OSI
- ✓ 1 - AD/OEL
- 1 - DIR/FMSAC
- 1 - PP/DD/S&T Chrono
- 2 - DD/S&T Registry

25X1A

DD/S&T 4020:hjb